
Ergofocus 1983

DOMINIQUE IMBERT





Ergofocus

The timeless design of the Ergofocus, created in 1983, earned it the honour of being exhibited at Stockholm's Museum of Modern Art. Four decades on, it now exists in four different fuel types to suit every requirement and environment.

1983 The original

Its streamlined shape, ergonomic design and compact size make the Ergofocus a perfect fit for any space, multiplying the possibilities to have a suspended, pivoting fireplace in an interior.

2O22 Wood-burning (Ecodesign)

The Ergofocus has been reissued in a closed version with glass panels that complies with EU Ecodesign regulations, which set standards for energy performance and emissions.

2O23 Electric (Holographik®)

The Holographik® Ergofocus offers a unique sensory experience, with virtual flames, the sound of a crackling fire and optional gentle heat diffusion through the flue. This electric fire is the ideal solution to enhance a space with a Focus fireplace without the need for an external flue outlet. All you need is an electrical connection.

2024 Gas

The Ergofocus is now also available in a gas version, operated by remote control. At the touch of a button, the fire can be lit, the flame intensity and heat adjusted, or a programme set for controlled, constant, comfortable heat. This model won a Gold German Design Award on its launch.

2024 Bioethanol

Fuelled with bioethanol and fitted with a fully electronic, safe burner (made in France), this fireplace is operated by remote control. It is smokeless and does not require an external flue outlet, allowing unprecedented freedom of installation on any floor.

WOOD (ECODESIGN)	GAS	ELECTRIC (HOLOGRAPHIK®)	BIOETHANOL
Efficiency: 80% CO at 13% O2: 0.09% NOx at 13% O2: 93 mg/Nm³ OgC at 13% O2: 33 mg/Nm³ Particle emission: 16 mg/Nm³ Nominal heat output: 10 kW Hearth: 136 kg Steel flue: 16 kg/m	NATURAL GAS • Heat output: 13.5 kW • Consumption: 1.26 m³/hour PROPANE • Heat output: 13 kW • Consumption: 0.373 m³/hour Hearth: 115 kg Steel flue: 16 kg/m	Electrical requirement (voltage): 220V Power consumption: 30W with heating option: 630W On/off button Hearth: 85 kg Steel flue: 16 kg/m	INSTALLATION WITHOUT FLUE CONNECTION Nominal heat output: 7.5 kW Autonomy: 4 h in a room with a minimum volume of 150 m³ INSTALLATION WITH FLUE CONNECTION Nominal heat output: 9.5 kW Autonomy: 3 h Hearth: 90 kg Steel flue: 16 kg/m

OUTDOOR:

Hearthr: 70 kg Steel flue: 16 kg/m

- Diameter 95 cm
- Rotates 360° / the gas version rotates 100° / the holographik version rotates 80°
- · Gas: natural gas or propane



Ergofocus wood (closed hearth

wood (closed hearth compliant with Ecodesign regulations)









Ergofocus

gas

D





Ergofocus bioethanol







Ergofocus electric (HOLOGRAPHIK®)







Ergofocus outdoor (wood-burning)













